

Jiangsu Hongguang Steel Pole Co., Ltd

1. PRODUCT NAME: Camera CCTV Pole, Monitor Pole with Hot Dip Galvanization and Powder Coated or Painted

2. GENERAL INFORMATION

Brand Name:	JSHG
Model Number:	HG-CP-4~15m
Certification:	ISO/CNAS/IAF/CA
Place of Origin:	China

3. ATTRIBUTE

Product Name	Traffic Signal Pole,	Application	Street , Road, Highway,
	Traffic Light Pole		Commercial Areas, Seaport,
			AirPort, Parking Lot,
			Stadium, Garden, etc.
Type	With Single / Double /	Height	4~15m
	Arms		
Shape	Round / polygonal /	Material	Hot roll steel Q235, Q345,
	Conical / Tubular /		Q420, Q460, Gr.50, Gr.65,
	Tapered		SS400, etc.
Appearance	Hot-dip galvanized /	Welding	According to AWS D 1.1,
Treatment	Powder Coated /		CO ₂ welding or submerged
	Painting		arc auto methods

4. COMMERCIAL TERMS

Minimum Order Quantity:	One 40 HQ Container	
Price:	negotiation	
Payment Terms:	L/C, T/T or Western Union	
Supply Ability:	3,000pcs per month	
Delivery Time:	2 weeks per container after PO/drawing/prepayment confirmed	
Packaging Details:	* Covered by Plastic Wrap or Mat or according to client's requests. * The Loading Pcs of Each Container could be calculated according to client's specification and data.	

5. PRODUCT INTRODUCTION

Specifications:

opcomoditions.		
	Products	Camera CCTV Pole, Monitor Pole
	Application	 Traffic monitoring Parking lot surveillance Facility perimeter security and lighting Prison yard observations



Jiangsu Hongguang Steel Pole Co., Ltd

	Airports
Туре	With Single or Double Outreach Arms
Height	• 4~15m
Shape	 Conical, Round, Polygonal (Octagonal, Dodecagonal, Hexadecagonal, etc.), Tubular, Tapered
Material	 Hot Roll Steel Q235, Q345, Q420, Q460, ASTM A527 A36, GR50, GR65, ST-37, ST-44, ST-52, S355JR, S355J2G3, SS41, SS50, SS55 and others equivalent steel material
Wall thickness	• 2~30mm
Once Forming	16m Once forming without joint
Welding	 Welding complies with AWS D1.1 standard. CO2 welding or submerged arc auto methods No fissure, scar, overlap, layer or other defects Internal and external welding makes the pole more beautiful in shape If customers need any other requirements of welding, we also can make adjustment ad your request
Joint	Joint with insert mode, flange mode.
Base plate	Base plate is square/round/Polygon with slotted holes for anchor bolt and dimension as per client's requirement.
Surface Treatment	 Hot dip galvanization in accordance with Chinese standard GB/T 13912-2002 or American standard ASTM A123 or AS/NZS 4680:2006 Could be powder coated or painted according to clients' request
Life Period	More than 25 years, it is according to installing environment
Advantages	 Short Construction Cycle Low Overall Cost Easy Installation and Maintenance Weather Resistance Anti-corrosion ODM & OEM are available Capable to Handle Volume Orders Provide Professional Design by Our Experienced R&D



Engineers



Description:

The Camera CCTV pole range with mounting heights of up to 15 meters, have been designed as a tapered pole to reduce shaft deflection – to ensure least possible movement for highly accurate and clear vision required for all surveillance and security needs.

Camera CCTV Poles and Monitor poles are usually fixed outdoor. So they need to be weather-resistant and reliable. Our Camera CCTV post is just the ideal choice, if you are looking for premium quality camera poles.



Being part of the city landscape, the camera pole varies from different cities. Our camera pole and monitor poles could be custom according to your requests. Meanwhile, we also have professional R&D engineers to design the poles for your reference.


Product Details





Jiangsu Hongguang Steel Pole Co., Ltd

Engineering and Design Management



"Design and technology, professional and common, software and hardware" is JSHG's design philosophy. We have established a close cooperative relationship with design institutions and companies in the same industry. Through close communication and explorations, our company took in advanced design concept, introducing domestic and foreign first-class design software, and attracting high-quality personnel.

In the R&D Department, there are many experienced senior research & design staff and rigid development network, which ensure our design proposals meet customer demand, even exceed their expectations.




Since the establishment, JSHG have put forward thousands of conical pole design proposals covering several industries and fields, such as power transmission industry, telecommunication industry, lighting industry, etc, which provides complete and strong technical support and service assurance.



Jiangsu Hongguang Steel Pole Co., Ltd

Production Process Flow Chart

PROCESS FLOWCHART





Quality Control Management

Quality Object

The rate of pass of steel pole, steel structure is 98%,

Smooth installation and complete match,

The rate of customer satisfaction is 95%

JSHG implemengt zero defect management, 5S management, and creates the Hongguang brand by excellent quality.




JSHG has passed the ISO9001 quality management system. Besides, it processes professional physical and chemical inspection lab and is equipped with X-ray detection system, ultrasonic detection system, screen display universal testing machine, photoelectric emission spectrum analyzer, as well as carbon and sulfur microcomputer analyzer etc.


Meanwhile, it has formed a scientific and strict quality management system, which effectively and strictly guarantees the quality control of products form raw material to finished products.



Production Quality Assurance System Diagram



Remark: The arrangement of quality control(QC) points A. B. C. D. E according to working procedure's requirements. Each of QC point with special quality inspectors, which one take charge for check finished workpieces made by previous step. Only qualified workpieces will turn into the next working procedure, the Unqualified ones have to send back to the previous step for repair. We insure that all of our products are qualified.





Packaging & Shipping





Jiangsu Hongguang Steel Pole Co., Ltd

Terms and Conditions

- 1. Price Term: EXW, FOB, CFR or CIF.
 - ➤ The price includes pole shaft, base plate, cross arm and anchor bolt.
 - Shipping seaport: Shanghai Seaport.
 - Please provide drawings if you have so that we can calculate the accurate price for you.
 - We also provide design according to your requests, if you don't have drawings.
- 2. MOQ: One 40FT Container.
- **3. Payment Term:** Typically 30% by T/T as deposit, balance by T/T or L/C at sight before shipment. Other payment way can be negotiated.
- **4. Delivery Time:** 2 weeks per container after PO/drawing/prepayment confirmed.
- **5. Package:** Normally wrapped by plastic bags or burlap cloth at the top and bottom, or according to clients requirement.



Our Services

- > Reply within 24 Working Hours
- Factory Direct Sale
- More than 15 Years Design & Manufacture Experience
- Capable to Handle Volume Orders



- High-Quality and Low-Price Products
- Provide Professional Design by Our Experienced R&D Engineers
- Rich Exporting Experience
- ODM, OEM Acceptable
- Technical Support by E-mail
- Calling service



Company Profile

JIANGSU HONGGUANG STEEL POLE CO., LTD.

With over 15 Years of Experience/ Capable to Handle Volume Orders

Exporting to Southeast Asia, Africa, Europe, Austrlia, the Middle East, South America, etc.

Founded in 1998, Jiangsu Hongguang Steel Pole Co. Ltd (JSHG) specializes in manufacturing various steel structures. We manufacture a variety of products like Electrical Poles and Substation Structures for the power transmission industry; high masts and street lighting poles for illumination, which are widely used in expressways, airports, ports and docks, depots, parking lots and stadiums; tower poles for funicular railways; Telecommunication Monopole Towers for the telecommunication industry; Traffic Poles & Camera Poles & Advertising Structures for transportation Industry and Advertising Industry.







Contact Us

Jiangsu Hongguang Steel Pole Co., Ltd.

Address: Wanshi Industrial Zone, Yixing City, Jiangsu Pro., P.R.China, 214212

Telephone: +86 510 878 441 56

Fax: +86 510 878 435 28

Mobile: +86 138 615 059 69

Skype: tangjia870124

Please feel free to contact us!